HDI Area of Refuge Product Comparison

HDI-ADA-100
HDI-ADA-ARCU & ADA-1000
HDI-ARS-1200



HDI-ADA-100





- Talk & Listen function from the Master to Area Station
- Audio & Visual Indicators
- Supervised Circuits
- 3" PUSH for HELP Button
- Requires a Dialer for offsite contact (pre recorded message)
- Hardwired stand alone system using 7 conductor cable home run configuration back to the relay card cabinet



HDI-ARCU & ADA-1000





- Talk & Listen function from the Master to Area Station Via Handset
- Audio & Visual Indicators
- Supervised Circuits Tested Every 24hrs.
- Requires a POTS line for offsite communication
- Telephone Based Cat 5 cable (home run back to the ARCU)
- ARCU & ADA-1000 have independent Battery Back-up
- 10 Max. ADA-1000 per ARCU and POTS phone line



HDI-ARS-1200 Master

- Touch Screen Display
- Data Encryption
- System Supervision
- RS-485 & IP Communication
- Vandal Proof Construction
- Addressable Configuration
- Cat 5 or better Cable from ARS-1200 Master to Network & 4 wire Daisy Chain Configuration from the ARS-Master to the ARS-Area station



HDI-ARS-1200 Area Station

- 3" Push For Help Button
- Two-way Offsite Communication
- Dual Audio & Visual Alarms
- RS-485 & IP Communication
- Addressable Configuration
- 16 Gauge 304 #4 Stainless Steel
- 4 Wire Daisy Chained Configuration



THANK YOU